EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	66	(microscop$ with ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2)))`and ((interchang$5 or switch$4) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2)) and (righthand$2 or right?hand$2 or (right near3 hand$2)) and (lefthand$2 or left?hand$2 or (left near3 hand$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 10:58
S1	3	(("4619503") or ("5552321") or ("6018415")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 14:20
S2	359	(359/391).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 16:34
S3	184	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 19:21
S4	260	(359/393).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 19:51
S6	1644	((359/368) or (359/362) or (359/382)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 16:34
S7	74	(359/394).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 11:34
S8	1644	((359/368) or (359/362) or (359/382)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 10:53
S9	62	S8 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:06
S10	74	S8 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and ((stage$3 or driv$4 or assembl$3) with (adjust$4 or manual$ or translat$4 or slid$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:19
S11	66	S8 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and (stage$3 or driv$4 or assembl$3) and (shaft$2 with (adjust$4 or manual$ or translat$4 or slid$4 or rotat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:24
S12	47	S8 and microscop$ and (((rack near4 pinion$2) or (belt$2 near4 pulley$2)) same shaft$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:25

S13	1175	microscop$ and (((rack near4 pinion$2) or (belt$2 near4 pulley$2)) same shaft$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 17:04
S14	916	S13 and ((stage$3 or driv$4 or assembl$3) with (adjust$4 or manual$ or translat$4 or slid$4 or rotat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:27
S15	639	S13 and ((stage$3 or driv$4 or assembl$3) with (adjust$4 or manual$ or translat$4 or slid$4 or rotat$4) with shaft$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:06
S16	20	S15 and (spring$3 with ball$2 with bearing$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:33
S17	172	((359/391) or (359/392) or (359/393) or (359/394)).CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:36
S18	14	S13 and (mechanic$4 with (stage or assembl$3) with driv$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:12
S19	89	(mechanic$4 with (stage or assembl$3) with driv$4) same microscop$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:49
S20	1779	microscop$ and ((knob$2 or handl$3 or device$2) with (stage or assembl$3) with driv$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 12:50
S21	91	S20 and shaft$2 and ((rack near4 pinion$2) or (belt$2 near4 pulley$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 13:05

EAST Search History

S22	9	S20 and shaft$2 and (ball$2 with bearing$2 with spring$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 15:41
S23	1	("20030169492").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 16:41
S24	0	WO-200423173-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:41
S25	0	WO-0423173-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:41
S26	98	(US-20050128575-$ or US-20050111095-$ or US-20050111094-$ or US-20050111093-$ or US-20030169492-$ or US-20030019310-$ or US-20020093734-$ or US-20020080479-$ or US-20020034003-$ or US-20050111096-$).did. or (US-6018415-$ or US-5552321-$ or US-4619503-$ or US-6920803-$ or US-6788458-$ or US-6690512-$ or US-6563635-$ or US-6504648-$ or US-6373627-$ or US-6369940-$ or US-6341037-$ or US-6313945-$ or US-6266184-$ or US-5768013-$ or US-5691841-$ or US-5684628-$ or US-5672816-$ or US-4919001-$ or US-4609264-$ or US-4538885-$ or US-4405202-$ or US-4277133-$ or US-4012111-$ or US-3862793-$ or US-3701199-$ or US-2857809-$).did. or (US-2655078-$ or US-2535128-$ or US-2500604-$ or US-6337766-$ or US-5771749-$ or US-5365801-$ or US-4711537-$ or US-3652146-$ or US-3019707-$ or US-6049420-$ or US-5969857-$ or US-5900708-$ or US-5828198-$ or US-5802925-$ or US-5627442-$ or US-5497060-$ or US-5459384-$ or US-5263384-$ or US-4824229-$ or US-4803892-$ or US-4772109-$ or US-4702565-$ or US-4700585-$ or US-4615592-$ or US-4552033-$ or US-4402576-$ or US-4299440-$).did. or (US-4262991-$ or US-4189953-$ or US-4097116-$ or US-3572888-$ or US-3428387-$ or US-2681592-$ or US-2474163-$ or US-2325239-$ or US-2148908-$ or US-0703047-$ or US-0588689-$ or US-2539597-$ or US-4712890-$ or US-4704013-$ or US-4684225-$).did. or (US-3514180-$ or US-2869418-$ or US-2857809-$ or US-3019707-$ or US-3428387-$ or US-3397656-$ or US-2681592-$ or US-2490970-$ or US-2474163-$).did. or (EP-500106-$ or DE-3528615-$ or DE-3528343-$ or DE-3505217-$ or DE-3514431-$).did. or (JP-04075012-$ or JP-04031814-$ or JP-01219814-$ or JP-61198206-$ or JP-59009620-$).did. or (DE-19528041-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 17:04
S27	13	S26 and (rack near4 pinion$2) and (belt$2 near4 pulley$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 17:30

S28	26	S26 and (ball with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/29 17:30
S29	4	S26 and (spring$4 with ball with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/29 17:48
S30	57	S26 and spring$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/29 17:49
S31	35	S26 and spring$4 and ball	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/29 18:00
S32	247	microscop$ and (spring$4 with ball$2 with bearing$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/29 18:02
S33	247	microscop$ and ((spring$4 or spring?load$4 or (spring$4 near3 load$4)) with ball$2 with bearing$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/29 18:03
S34	364	(359/391).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:17
S35	187	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:17
S36	263	(359/393).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:17
S37	75	(359/394).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:18
S38	1731	((359/368) or (359/362) or (359/382)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:18

S39	66	S38 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 15:14
S40	79	S38 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and ((stage$3 or driv$4 or assembl$3) with (adjust$4 or manual$ or translat$4 or slid$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 14:18
S41	69	S38 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and (stage$3 or driv$4 or assembl$3) and (shaft$2 with (adjust$4 or manual$ or translat$4 or slid$4 or rotat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 14:19
S42	51	S38 and microscop$ and (((rack near4 pinion$2) or (belt$2 near4 pulley$2)) same shaft$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 14:19
S43	172	((359/391) or (359/392) or (359/393) or (359/394)).CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 14:20
S44	26	S38 and microscop$ and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$ or mechanism$2) with (detach$4 or remov$4 or disengag$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 15:29
S45	1338	microscop$ and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$ or mechanism$2) with (detach$4 or remov$4 or disengag$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:36
S46	95	S45 and (rack$2 with pinion$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:13
S47	87	S45 and (belt$2 with pulley$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:26

S48	26	S45 and (spring$3 with ball with bearing$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/23 16:26
S49	2507	microscop$ and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$ or mechanism$2)) and ((secur$4 or attach$4) with locat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/23 16:34
S50	573	(microscop$ same ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$ or mechanism$2))) and ((secur$4 or attach$4) with locat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/23 16:35
S51	142	microscop$ and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$ or mechanism$2) with (detach$4 or remov$4 or disengag$)) and (set?screw$2 or setscrew$2 or (set near3 screw$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/08/23 16:37
S52	371	(359/391).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S53	189	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S54	267	(359/393).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S55	75	(359/394).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S56	1793	((359/368) or (359/362) or (359/382)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S57	66	S56 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/14 13:57
S58	79	S56 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and ((stage$3 or driv$4 or assembl$3) with (adjust$4 or manual$ or translat$4 or slid$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/14 13:57

S59	69	S56 and microscop$ and ((rack near4 pinion$2) or (belt$2 near4 pulley$2)) and (stage$3 or driv$4 or assembl$3) and (shaft$2 with (adjust$4 or manual$ or translat$4 or slid$4 or rotat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:58
S60	51	S56 and microscop$ and (((rack near4 pinion$2) or (belt$2 near4 pulley$2)) same shaft$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:58
S61	172	((359/391) or (359/392) or (359/393) or (359/394)).CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 13:58
S62	27	S56 and microscop$ and ((stage$3 or assembl$3) with (driv$4 or adjust$4 or manual$ or mechanism$2) with (detach$4 or remov$4 or disengag$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:57
S63	508	S56 and microscop$ and ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 19:15
S64	2920	microscop$ and ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2)) and ((sampl$3 or specimen$2) near4 hold$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:49
S65	261	(microscop$ with ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))) and ((sampl$3 or specimen$2) near4 hold$4) and screw$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 17:50
S66	205	(microscop$ with ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))) and (detach$4 with (attach$4 or secur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 19:53
S67	30	(microscop$ with ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))) and (belt$3 with pulley$2) and (rack$3 with pinion$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 20:02

S68	1250	(microscop$ with ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))) and (interchang$5 or switch$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/14 20:03
S69	567	(microscop$ with ((stage$3 or assembl$3 or platform$3) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))) and ((interchang$5 or switch$4) with (driv$4 or adjust$4 or manual$ or mechanism$2 or knob$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/15 10:56
S70	222	S69 and screw$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/12/14 20:04